

LIST SAFETY BASIS FOR INTEC LABORATORY FACILITIES		Identifier: LST-111
		Revision: 11
		Page: 1 of 2
INTEC	List	For Additional Info: http://EDMS
		Effective Date: 03/04/04
		DAR Number: <u>109523</u>

**Safety Basis List for
INTEC Laboratory Facilities**

1. Safety basis documents for the INTEC Laboratory Facilities are contained in the INEEL Standardized Safety Analysis Report (SAR) Chapters and Technical Safety Requirements (TSR) and facility-specific SARs and TSRs, as listed in Table 1.
2. Hazard Category 2 per SAR-121.
3. Other documents affecting the implementation of the facility safety basis

NE-ID, *Safety Evaluation Report, Safety Analysis Report (SAR-121) and Technical Safety Requirements (TSR-121) for the INTEC Laboratory Facilities*, included in E. D. Sellers letter to R. L. Loos, "NE-ID Approval of Safety Basis Documents for the INTEC Laboratory Facilities, SAR/TSR-121 (INTEC-SNF-03-053)," CCN 45735, October 20, 2003.

NE-ID, *Safety Evaluation Report, Safety Analysis Report (SAR-121) and Technical Safety Requirements (TSR-121) for the INTEC Laboratory Facilities*, included in E. D. Sellers letter to R. L. Loos, "NE-ID Approval of SAR-121 and TSR-121, Revision 1 (INTEC-SNF-03-094)," CCN 47060, December 23, 2003.

Unreviewed Safety Questions – none.

LIST SAFETY BASIS FOR INTEC LABORATORY FACILITIES	Identifier: LST-111 Revision: 11 Page: 2 of 2
--	---

Table 1. Safety Basis Documents for the CPP-602 Laboratory And CPP-630 Mass Spectrometry Facility (current revision*)

Document Identifier	Document Title
SAR-121	Safety Analysis Report for the INTEC Laboratory Facilities (CPP-602 Laboratory and CPP-630 Mass Spectrometry Facility)
TSR-121	Technical Safety Requirements for the INTEC Laboratory Facilities (CPP-602 Laboratory and CPP-630 Mass Spectrometry Facility)
SAR-100	INEEL Standardized Safety Analysis Report (SAR) Chapters
TSR-100	INEEL Standardized Technical Safety Requirements (TSR) Document

* A copy of the latest revision may be found at the Electronic Document Management System (EDMS) site on the INEEL intranet home page, and/or in the controlled document sets.